



CO343T - Lincat
Convector Touch Electric
Counter-top Convection
Oven - W 660 mm - D 740
mm - 3.0 kW

Able to roast, braise, bake and reheat, a CO343T Convector convection oven is a powerful addition to any commercial kitchen.

- 4 x GN1/1 capacity
- Touchscreen control with easy-to-use icon-driven menu selections
- Easy-view traffic light status see the status of the oven at a glance, even in the noisiest kitchens
- Space for 24 programs with up to four stages, which can be adjusted individually
- Up to four-stage phased cooking for perfect results - set temperature, time and fan speed for each stage
- Even heat distribution thanks to electronically controlled two-speed, bi-directional fan
- Nine-hour on-screen timer, with electronic buzzer, and flashing oven lamps to indicate that cycle has finished
- Side opening door

| Specifications       |                                   |                       |                 |  |  |
|----------------------|-----------------------------------|-----------------------|-----------------|--|--|
| Summary              |                                   | Power and Performance |                 |  |  |
| Brand                | Lincat                            | Total Power kW        | 3.0             |  |  |
| Range                | Convector                         | Temperature Range °C  | 60 - 260        |  |  |
| Power Type           | Electric                          | IP Rating             | IP23            |  |  |
| Unit Type            | Counter-top                       | Controls Position     | Right hand side |  |  |
| Available in UK Only | No                                | Temperature Control   | Electronic      |  |  |
| UK Warranty          | 2 Years Parts and Labour Warranty | Timer Range mins      | 1 - 540         |  |  |
| Export Warranty      | Contact your local dealer         | Oven Rating kW        | 2.8             |  |  |
| GTIN                 | 5056105121411                     |                       |                 |  |  |



## **Key Specifications** Capacity Feet Height/Type 55mm/adjustable **Gastronorm Capacity** 4 x GN1/1 Continuous Plug-In Door Seal Shelf Spacing mm 85 Yes Removable Inner Door Glass **Sheet Pan Capacity** 4 × 460 × 330 No **Handle Type** Grab **Capacity Litres** Vented Door Yes Reversible Door No **Door Type** Left Hinaed **Number of Cooking Phases** 4 **Phased Cooking** Yes Shelf Timer(s) (Number) Grill Element/Mode No **Core Temp Probe** No Steam Injection No Fan(s) Speed 2 Fan(s) Type Bi-Directional Number of Fan(s) **Euronorm Compatible** No **Sheet Pan Compatible** Removeable Shelf Guides Yes **Manual Mode** Yes Programmable Yes Number of Programs 24 **Timer Type** Touchscreen **Display Type** Touchscreen Number of Shelves included 4 **Number of Shelf Positions** 4 Type of Lighting Halogen 430 S/S cavity Construction/Finish

| Weights and Dimensions    |      | Supply Connections                    |      |
|---------------------------|------|---------------------------------------|------|
| Unit Height (External) mm | 600  | Requires Installation                 | No   |
| Unit Width (External) mm  | 660  | Requires Electrical Supply            | Yes  |
| Unit Depth (External) mm  | 740  | UK 3 Pin Plug                         | Yes  |
| Height (Internal) mm      | 398  | Requires Hardwiring                   | No   |
| Width (Internal) mm       | 330  | <b>Electrical Supply Rating Watts</b> | 3000 |
| Depth (Internal) mm       | 550  | Single Phase Amps                     | 13   |
| Shelf Dimensions Width mm | 530  | Single Phase Voltage                  | 230  |
| Shelf Dimensions Depth mm | 325  | USB Port                              | Yes  |
| Net Weight Kg             | 68.7 |                                       |      |
| Shipping                  |      |                                       |      |
| Packed Weight Kg          | 83.7 |                                       |      |
| Packed Height cm          | 81.5 |                                       |      |

## **Available Accessories**

Packed Width cm Packed Depth cm

**GN Compatible** 

Yes


100


**CO300/FS** Lincat Convector Floor Stand for CO343M/CO343T Convection Ovens - with 4 Runners - W 660 mm


CO300/LFSK Lincat Convector Low Floor Stand and Stacking Kit for CO343M/CO343T Convection Ovens - with 1 Shelf - W 660 mm

## **Technical Picture**











**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 875536

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm